

# COLLECTION 2022



## Hello!

The idea is what brings change and diversity, that's what we believe in and started this journey of emerging greatness with innovation in ceramic world. With trust that we received from earlier stages, comes responsibility of giving the best in quality. We are now a large scale manufacturer, satisfying need of uniqueness to the clients and exporting to those who wish for getting not the ordinary; but the class.







#### Quality

Creating enchanting never runs for long if not given the solid make for it's inside Beauty. That's what we are specialized for every products sword comes with committed durability and long lasting Impression of its Newness.

#### **Eco Friendly**

Though the products are resistant to all difficult natural conditions, It doesn't cause any harm to any natural gifts of this world. machines are serviced every now and then - to lower the chances of damage for the matter of ecological balance.


#### **Technologies**

Accepting the new, brings more legacy to Existing greatness for our ceramic Series. Technologies an Techniques, we have gathered from all over the world's best new gen concepts, delivers perfection only.






### **GVT & PGVT**



### **PARKING TILES**



### **WALL TILES**



### **FULLBODY SLAB**



### **CERTIFICATION**











We are acknowledged by some of the world's most prominent certification agencies for our strict adherence to quality norms and best business and manufacturing practices.



Having ready resolutions for every order from around the world, we have never said no in any circumstances to any valuable client. Realised of our responsibility and expected responses from us, our delivery is safe as well as convenient to give a satisfying experience. Expanded to many countries, Sword has a separate agency to look into the matter of international relations and supporting clients of foreign states. Even the distributers and dealers are located at different outside places in case of any physical support.

#### **OUR NETWORK**

Africa · Albania · Algeria · Australia · Bahrain · Belgium · Guatemala · Iraq · Ireland · Israel Kuwait · Lebanon · Libya · Malta · Mauritania · Palestine · Peru · Poland · Romania · Spain



### WHY SWORD



Since our inception we have remained at the forefront of cutting-edge design and quality.



Largest Exporter since last 4 consecutive years, No. 1 in Ceramic Export.



Among the Top 10 ceramic brands of india & the youngest in the market.



Penetration in over 25+ countries apart from India.



Our World Class Production Facility using the latest machinery & equipments.



Well-built Network of all showrooms throughout the country.



45 Million sqm. High-end and extremely efficient production units.



### application and features

#### **APPLICATION**



INDOOR FLOORS



COUNTER TOPS




**OUTDOOR FLOORS** 



INTERIOR FURNISHING AND DESIGN ELEMENTS



INDOOR WALLS



EXTERIOR FACADES



BATHROOM VANITY TOPS
AND SHELVES

#### **FEATURES**



STAIN



NON-ABSORBENT



CHEMICAL RESISTENCE



EASY TO CLEAN



DURABLE



SCRATCH RESISTENCE



YGIENIC



PROOF







200X1200MM









#### **BOSCO BEIGE**

200X1200MM / 20X120CM

RANDOMS

08

THICKNESS


9MM

**FINISH** 

MATT RELIEF



V1



### COLORS 7

**BOSCO GREY** 



**BOSCO BEIGE** 



**BOSCO BROWN** 



**BOSCO DARK GREY** 



**BOSCO LIGHT GREY** 



**BOSCO IVORY** 



**BOSCO TEAK** 







200X1200MM









#### **TIMBER ASH**

200X1200MM / 20X120CM

**RANDOMS** 

09


THICKNESS

9MM

FINISH MATT RELIEF



1/2







TIMBER ASH



**TIMBER MAHOGANY** 



TIMBER WALNUT





**TIMBER WALLNUT** 



**TIMBER MAHOGANY** 





200X1200MM









**MADEIRA OAK** 

200X1200MM / 20X120CM

**RANDOMS** 12

**THICKNESS** 9MM

FINISH MATT RELIEF





### COLORS 7

#### **MADEIRA BIANCO**



**MADERA LIGHT GREY** 



**MADEIRA DARK GREY** 



**MADEIRA OAK** 



**MADEIRA PINE** 




**MADEIRA TEAK** 



MADEIRA WENGE















#### **MADEIRA TEAK**




#### **MADEIRA PINE**

### **ΔLPΔIN**



200X1200MM







### **ALPAIN**

#### **ALPINE TEAK**

200X1200MM / 20X120CM

**RANDOMS** 

05

**THICKNESS** 

9MM

**FINISH** 

MATT RELIEF



V2

**ALPAIN LIGHT GREY** 



**ALPAIN DARK GREY** 



**ALPAIN NATURAL** 



**ALPINE TEAK** 



**ALPINE NUT** 





COLORS 5



#### **ALPAIN DARK GREY**





**ALPAIN LIGHT GREY** 

### **ASTONE**



200X1200MM







### **ASTONE**

#### **ASTON SILVER**

200X1200MM / 20X120CM

RANDOMS 10

**THICKNESS** 

9MM

FINISH MATT RELIEF



### COLORS 2

#### **ASTON SILVER**



#### **ASTONE PINE**





### BRICOLA



200X1200MM







### **BRICOLA**

#### **BRICOLA GRIS**

200X1200MM / 20X120CM

RANDOMS

09

**THICKNESS** 

9MM

**FINISH** 

MATT RELIEF



V2

### COLORS 5

#### **BRICOLA CEREZO**



#### **BRICOLA TAN**



#### **BRICOLA BROWN**




#### **BRICOLA SILVER**



#### **BRICOLA GRIS**







**BRICOLA BROWN** 



### LEGNO



200X1200MM







### LEQNO

#### **LEGNO MAPLE**

200X1200MM / 20X120CM

**RANDOMS** 

09

**THICKNESS** 


9MM

FINISH MATT RELIEF



V2

### COLORS 2



### SEQUOIA



200X1200MM









**SEQUOIA MAPLE** 

200X1200MM / 20X120CM

RANDOMS 15

THICKNESS 9MM FINISH CARVING







### **SEQUIOA CENIZA**



SEQUOIA MAPLE



**SEQUIOA OAK** 



**SEQUIOA FOREST** 





#### **SEQUOIA FOREST**



# **BALBOA**



200X1200MM







## **BALBOA**

### **BALBOA MOKA**

200X1200MM / 20X120CM

**RANDOMS** 

10

**THICKNESS** 

9MM

FINISH MATT RELIEF



**BALBOA BIANCO** 



**BALBOA GREY** 



**BALBOA MEHOGANY** 




**BALBOA TEAK** 



**BALBOA MOKA** 








# BIRCHWOD



200X1200MM







## **BIRCHW@D**

### **BIRCHWOOD ANCIENT**

200X1200MM / 20X120CM

RANDOMS

08

**THICKNESS** 

9MM

FINISH

MATT RELIEF



### **BIRCHWOOD NATURAL**




**BIRCHWOOD FOREST** 



### **BIRCHWOOD ANCIENT**






## COLORS 3

# DAKOTA



200X1200MM







## **DAKOTA**

## **DAKOTA ASH**

200X1200MM / 20X120CM

RANDOMS 09

**THICKNESS** 

9MM

FINISH MATT RELIEF



### DAKOTA WHITE OAK



### DAKOTA ASH



### **DAKOTA GRIS**




### DAKOTA NATURAL



### **DAKOTA MAPLE**










# Driftwood



200X1200MM







## Driftwood

## **DRIFTWOOD MAPLE**

200X1200MM / 20X120CM

RANDOMS

80

**THICKNESS** 

9MM

**FINISH** 

MATT RELIEF





### **DRIFTWOOD ASH**



DRIFTWOOD CLASSIC



DRIFTWOOD MAPLE



**DRIFTWOOD TEAK** 



# Hickory



200X1200MM







## Hickory

## **HICKORY NATURAL**

200X1200MM / 20X120CM

**RANDOMS** 

07

**THICKNESS** 

9MM

FINISH MATT



**HICKORY MAPLE** 



**HICKORY WENGE** 



### HICKORY NATURAL





## COLORS 3

# Lyptus



200X1200MM







## Lyptus

## LYPTUS NUEZ

200X1200MM / 20X120CM

**RANDOMS** 

80

**THICKNESS** 

9MM

FINISH MATT



### LYPTUS PIANE



LYPTUS NUEZ




LYPTUS TEAK



LYPTUS GREY



## COLORS 4



# CALDERA



200X1200MM







## CALDERA

## **CALDERA GREY**

200X1200MM / 20X120CM

**RANDOMS** 


07

**THICKNESS** 

9MM

FINISH MATT RELIEF





#### **CALDERA WHITE**



#### **CALDERA GREY**



#### **CALDERA PINE**



#### **CALDERA AMBER**




#### **CALDERA OAK**



#### **CALDERA MOKA**



#### **CALDERA BLACK**







# MISSOURI



200X1200MM







## MISSOURI

### MISSOURI MAPLE

200X1200MM / 20X120CM

RANDOMS

10

THICKNESS

9MM

FINISH MATT RELIEF



### **MISSOURI IVORY**



#### **MISSOURI BIANCO**



#### **MISSOURI MAPLE**



### **MISSOURI PEACH**









### **MISSOURI DARK GREY**







# MOHAWK



200X1200MM







## MOHAWK

## **MOHAWK NATURAL**

200X1200MM / 20X120CM

**RANDOMS** 

08

**THICKNESS** 

9MM

**FINISH** 

MATT RELIEF





MOHAWK NATURAL



**MOHAWK GRIS** 




**MOHAWK WALNUT** 



# BOHEMIAN



200X1200MM







# **BOHEMIAN**

## **BOHEMIAN WHITE OAK**

200X1200MM / 20X120CM

RANDOMS

07

**THICKNESS** 

9MM

FINISH CARVING



# COLORS 4

### **BOHEMIAN WHITE OAK**



### **BOHEMIAN NATURAL**





### **BOHEMIAN PEACH**



### **BOHEMIAN BROWN**




### HABANA

Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.



200X1200MM







### **HABANA**

### **HABANA BLACK**

200X1200MM / 20X120CM

RANDOMS 10

**THICKNESS** 

9MM

FINISH CARVING

V1



### COLORS 5

### **HABANA GREY**



### **HABANA NATURAL**




### **HABANA CONSTANO**



### **HABANA ROBLE**



**HABANA BLACK** 






### **HABANA GREY**

### **NEST**

Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.



200X1200MM







### **NEST**

### **NEST OAK**

200X1200MM / 20X120CM

RANDOMS 10

THICKNESS 9MM

FINISH CARVING



### **NEST PINE**



COLORS 4

**NEST FOREST** 




### **NEST OAK**



### **NEST GREY**





## HOUSTANCOSTANO

Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.



200X1200MM







### HOUSTANCOSTANO

### **NEST OAK**

200X1200MM / 20X120CM

**RANDOMS** 


**THICKNESS** 

9MM

FINISH CARVING



### LAYING SOLUTIONS




The material should be carefully checked before fixing, especially tonality, caliber and choice. Claims cannot be accepted once the material is installed. The company declines all responsibility for laying without joints; minimum joint laying has a gap of 2 mm.


### PORCELAIN STONEWARE - STANDARD EN 14411 (ISO 13006) ANNEX G GROUP BIA, E ≤ 0.5%

TECHNICAL SPECIFICATIONS			STANDARDS	VALUES REQUIRED	OUR Value
				RECTIFIED	MATT
DIMENSIONS	The state of the s	Length and width	ISO 10545-2	± 0,3%, max 1 mm	In Accordin
		Thickness		<u>+</u> 5%, max 0,5 mm	In Accordi
		Wedging		± 0,3%, max 1,5 mm	In Accordi
		Straightness of the edges		± 0,3%, max 0,8 mm	In Accordi
		Flatness		± 0,4%, max 1,8 mm	In Accord
STRUCTURE	· · · · · · · · · · · · · · · · · · ·	Water absorption - average value %	ISO 10545-3	≤ 0,5%	In Accord
		Breaking strength	ISO 10545-4	S≥ 1300 N	S≥ 2000
		Modulus of rupter		R≥ 35 N/mm <sup>2</sup>	In Accord
		Resistance to surface abrasion	ISO 10545-7	According to classification indicater by manufacture	PEI IV
THERMAL SHOCK	<b>♣</b>	Coefficient of thermal linear expansion	ISO 10545-8	9 x 10 ° max	In Accord
		Thermal shock resistance	ISO 10545-9	Resistant	Resistar
		Resistance to frost	ISO 10545-12	Resistant	Resistar
SAFETY		Dynamic friction coefficient	DIN 51130	According to the space or the working area	R9
CHEMICAL RESISTANCE		Resistance to high concentrations of acids and alkalis	ISO 10545-13	Class GHC Min.	Class GH
	6"	Resistance to low concentrations of acids and alkalis		Class GLC Min.	Class GL
		Stain resistance	ISO 10545-14	Min. class 3	5



#### INSTALLATION ADVICE





The longest side should be staggered no more than 300mm when laid in running bond.

### **V SHADES**



The V-Shade classification indicates the level of shading of the product, ranked from V0 to V4.

### **PACKAGING**

SIZE	THICKNESS	PCS./BOX	SQM/BOX	SQF/BOX
200x1200 mm	9 MM	5	1.20	12.91

### **FEATURES**













+91 96384 72778 +91 75750 03333

swordintrl@gmail.com

109, Oreva Arcade, At.shiv Ajanta Hotel, Morbi, Gujarat (363642).