

# COLLECTION 2022



# Hello!

The idea is what brings change and diversity, that's what we believe in and started this journey of emerging greatness with innovation in ceramic world. With trust that we received from earlier stages, comes responsibility of giving the best in quality. We are now a large scale manufacturer, satisfying need of uniqueness to the clients and exporting to those who wish for getting not the ordinary; but the class.







### Quality

Creating enchanting never runs for long if not given the solid make for it's inside Beauty. That's what we are specialized for every products sword comes with committed durability and long lasting Impression of its Newness.

### **Eco Friendly**

Though the products are resistant to all difficult natural conditions, It doesn't cause any harm to any natural gifts of this world. machines are serviced every now and then - to lower the chances of damage for the matter of ecological balance.


### **Technologies**

Accepting the new, brings more legacy to Existing greatness for our ceramic Series. Technologies an Techniques, we have gathered from all over the world's best new gen concepts, delivers perfection only.






## **GVT & PGVT**



### **PARKING TILES**



### **WALL TILES**



### **FULLBODY SLAB**



# **CERTIFICATION**











We are acknowledged by some of the world's most prominent certification agencies for our strict adherence to quality norms and best business and manufacturing practices.



Having ready resolutions for every order from around the world, we have never said no in any circumstances to any valuable client. Realised of our responsibility and expected responses from us, our delivery is safe as well as convenient to give a satisfying experience. Expanded to many countries, Sword has a separate agency to look into the matter of international relations and supporting clients of foreign states. Even the distributers and dealers are located at different outside places in case of any physical support.

### **OUR NETWORK**

Africa Albania Algeria Australia Bahrain Belgium Guatemala Iraq Ireland Israel Kuwait Lebanon Libya Malta Mauritania Palestine Peru Poland Romania Spain



### WHY SWORD



Since our inception we have remained at the forefront of cutting-edge design and quality.



Largest Exporter since last 4 consecutive years, No. 1 in Ceramic Export.



Among the Top 10 ceramic brands of india & the youngest in the market.



Penetration in over 25+ countries apart from India.



Our World Class Production Facility using the latest machinery & equipments.



Well-built Network of all showrooms throughout the country.



45 Million sqm. High-end and extremely efficient production units.



# application and features

### APPLICATION



INDOOR FLOORS



COUNTER TOPS




OUTDOOR FLOORS



INTERIOR FURNISHING AND DESIGN ELEMENTS



INDOOR WALLS



EXTERIOR FACADES



BATHROOM VANITY TOPS AND SHELVES

### FEATURES



PROOF



ABSORBENT



RESISTENCE

CLEAN



DURABL



SCRATCH RESISTENCE



**(** 

YGIENIC



PROOF







200X1200MM









### **BOSCO BEIGE**

200X1200MM / 20X120CM

RANDOMS

08

THICKNESS


9MM

**FINISH** 

MATT RELIEF



VI



# COLORS 7

**BOSCO GREY** 



**BOSCO BEIGE** 



**BOSCO BROWN** 



**BOSCO DARK GREY** 



**BOSCO LIGHT GREY** 



**BOSCO IVORY** 



**BOSCO TEAK** 







MM0021X00Z









### TIMBER ASH

200X1200MM / 20X120CM


# RANDOMS 09


### **THICKNESS**

9MM

FINISH MATT RELIEF









### TIMBER ASH



#### TIMBER MAHOGANY



### TIMBER WALNUT





TIMBER WALLNUT



**TIMBER MAHOGANY** 





MM0021X00Z










MADEIRA OAK

200X1200MM / 20X120CM

RANDOMS 12

THICKNESS 9MM FINISH MATT RELIEF





# COLORS 7

### **MADEIRA BIANCO**



MADERA LIGHT GREY



MADEIRA DARK GREY



MADEIRA OAK



MADEIRA PINE




MADEIRA TEAK



MADEIRA WENGE









MADEIRA BIANCO



MADEIRA TEAK




MADEIRA PINE

# ΔLPΔIN



200X1200MM







# **ALPAIN**

### **ALPINE TEAK**

200X1200MM / 20X120CM

RANDOMS

05

**THICKNESS** 

9MM

FINISH

MATT RELIEF



V2





ALPAIN DARK GREY



**ALPAIN NATURAL** 



ALPINE TEAK



ALPINE NUT





COLORS 5



### ALPAIN DARK GREY





ALPAIN LIGHT GREY

# **ASTONE**



MM0021X002







# **ASTONE**

### **ASTON SILVER**

200X1200MM / 20X120CM

RANDOMS 10

THICKNESS

9MM

FINISH MATT RELIEF



# COLORS 2

### ASTON SILVER



#### **ASTONE PINE**



# BRICOLA



MM0021X002







# BRICOLA

**BRICOLA GRIS** 

200X1200MM / 20X120CM

RANDOMS

09

THICKNESS

9MM

FINISH MATT RELIEF



# COLORS 5

#### **BRICOLA CEREZO**



### **BRICOLA TAN**



### **BRICOLA BROWN**




### **BRICOLA SILVER**



### **BRICOLA GRIS**









**BRICOLA BROWN** 



# LEGNO



MM0021X008









### **LEGNO MAPLE**

200X1200MM / 20X120CM

RANDOMS 09

**THICKNESS** 


9MM

FINISH MATT RELIEF



V2

# COLORS 2



# **SEQUOIA**



MM0021X002









**SEQUOIA MAPLE** 

200X1200MM / 20X120CM

RANDOMS 15

THICKNESS 9MM FINISH CARVING





### SEQUIOA CENIZA



### SEQUOIA MAPLE



### SEQUIOA OAK



### SEQUIOA FOREST



### COLORS 4



### SEGUOIA FOREST



# BALBOA



MM0021X002







### BALBOA

### BALBOA MOKA

200X1200MM / 20X120CM

RANDOMS

10

THICKNESS

9MM

FINISH MATT RELIEF



W

### COLORS 5

**BALBOA BIANCO** 



**BALBOA GREY** 



**BALBOA MEHOGANY** 




**BALBOA TEAK** 



**BALBOA MOKA** 







# BIRCHWODD



MM0021X002







### BIRCHWODD

### **BIRCHWOOD ANCIENT**

200X1200MM / 20X120CM

RANDOMS

08

THICKNESS 9MM

FINISH MATT RELIEF



### **BIRCHWOOD NATURAL**




BIRCHWOOD FOREST



### **BIRCHWOOD ANCIENT**





### COLORS 3

# DAKOTA



MM0021X002







### DAKOTA

### DAKOTA ASH

200X1200MM / 20X120CM

RANDOMS

09

THICKNESS 9MM

FINISH MATT RELIEF



### COLORS 5

### DAKOTA WHITE OAK



### DAKOTA ASH



### **DAKOTA GRIS**



### DAKOTA NATURAL



### DAKOTA MAPLE








## Driftwood



MM0021X002







### Driftwood

### DRIFTWOOD MAPLE

200X1200MM / 20X120CM

RANDOMS

80

**THICKNESS** 

9MM

FINISH MATT RELIEF





# COLORS

#### DRIFTWOOD ASH



### DRIFTWOOD CLASSIC



#### DRIFTWOOD MAPLE



### DRIFTWOOD TEAK



# Hickory



MM0021X002







### Hickory

### HICKORY NATURAL

200X1200MM / 20X120CM

RANDOMS

07

THICKNESS

9MM

FINISH MATT



HICKORY MAPLE




HICKORY WENGE



### HICKORY NATURAL





### COLORS 3

# Lyptus



MM0021X002







### Lyptus

### LYPTUS NUEZ

200X1200MM / 20X120CM

RANDOMS

80

**THICKNESS** 

9MM

FINISH MATT



VI

### LYPTUS PIANE



LYPTUS NUEZ



LYPTUS TEAK



LYPTUS GREY



# COLORS



# CALDERA



MM0021X002







### CALDERA

### **CALDERA GREY**

200X1200MM / 20X120CM

RANDOMS

07

**THICKNESS** 

9MM

FINISH MATT RELIEF





### COLORS 7

#### **CALDERA WHITE**



#### **CALDERA GREY**



#### **CALDERA PINE**



#### CALDERA AMBER



### CALDERA OAK



#### **CALDERA MOKA**



### CALDERA BLACK





# MISSOURI



MM0021X002







### COLORS 6

#### MISSOURI IVORY



#### MISSOURI BIANCO



#### MISSOURI MAPLE



#### MISSOURI PEACH








#### MISSOURI DARK GREY







#### MISSOURI DARK GREY

# MOHAWK



MM0021X002







### MOHAWK

### MOHAWK NATURAL

200X1200MM / 20X120CM

RANDOMS

80

**THICKNESS** 

9MM

FINISH MATT RELIEF





MOHAWK NATURAL



MOHAWK GRIS



MOHAWK WALNUT




COLORS 3

# BOHEMIAN



MM0021X002







## **BOHEMIAN**

### **BOHEMIAN WHITE OAK**

200X1200MM / 20X120CM

RANDOMS

07

THICKNESS

9MM

FINISH CARVING



V2


# COLORS

### **BOHEMIAN WHITE OAK**



### **BOHEMIAN NATURAL**





### **BOHEMIAN PEACH**



### **BOHEMIAN BROWN**



### HABANA

Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.



MM0021X002







### HABANA

### **HABANA BLACK**

200X1200MM / 20X120CM

RANDOMS

THICKNESS 9MM

FINISH CARVING



### COLORS 5

#### **HABANA GREY**



### HABANA NATURAL




### HABANA CONSTANO



#### **HABANA ROBLE**



HABANA BLACK





### **NEST**

Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.



MM0021X002







### **NEST**

### **NEST OAK**

200X1200MM / 20X120CM

RANDOMS 10

THICKNESS 9MM

FINISH CARVING



### **NEST PINE**



## COLORS


**NEST FOREST** 



**NEST OAK** 



**NEST GREY** 





### HOUSTANCOSTANO

Experience the calmness and elegance of nature from the comfort of your own home. Discover the strength, textures, and tones that wood has to offer. The collection of 200x1200mm tiles is everything different you were looking for.



MM0021X002







### HOUSTANCOSTANO

### **NEST OAK**

200X1200MM / 20X120CM

RANDOMS


THICKNESS 9MM

FINISH CARVING



V3

#### LAYING SOLUTIONS



The material should be carefully checked before fixing, especially tonality, caliber and choice. Claims cannot be accepted once the material is installed. The company declines all responsibility for laying without joints; minimum joint laying has a gap of 2 mm.


### PORCELAIN STONEWARE - STANDARD EN 14411 (ISO 13006) ANNEX G GROUP BIA, E 0.5%

TRICHINICAL SPECIFICATIONS			STANDARDS	ANTIEZ SEGINED	AUR YALLE
				RECUED	HAIT
EMPOSIONS	3	Leigth and width	50 10545-2	± 0,3%,max1mm	In According
		Thickness		± 3%, nax 0,5 mm.	lis According
		Wedging		± 0,9%, max 1,5 mm	In Accordin
		Stoolghbuss of the edges		± 0.7%, max 0.8 mm	An Accordin
		Falness		± 4,4%, nax 1,8 mm	In Accordin
STRUCTURE	*	Water absorption - average value %	150 10545-3	≤ 0,5%	in Accordin
		Breaking strength	60 10545-4	S≥ 800 N	5≥ 2000
		Modulus of ruptier		R≥ 35 N/mm <sup>2</sup>	In Accordin
		Resistance to surface abrasion	65 19545-7	Arranding to classification indicator by manufacture	PEI IV
THERMAL SHOOK	·J.	Coefficient of thermal linear expansion	750 19545-8	9 x 10° max	In Accordin
	Secretary .	Thermal short resistance	150 10545-9	Resistant	Reinfant
	業	Resistance to host	150 18545-12	Resistant	Resistant
SAFETY	-	Dynamic hickon coefficient	DINSTER	According to the space or the working area	89
ONEMICAL RESISTANCE		Resistance to high concentrations of acids and alkalis	ISO 10545-EI	Class GHC Min.	Class GB/
		Resistance to low concentrations of acids and alkalis		Cleas-GLC Min.	Consider
		Stain resistance	ISD 18545-14	Min. class 3	- 3



#### INSTALLATION ADVICE





The longest side should be staggered no more than 300mm when laid in running bond.

### V SHADES



The V-Shade classification indicates the level of shading of the product, ranked from V0 to V4.

#### PACKAGING

SIZE	THICKNESS	PCS./BOX	SQM/BOX	SQF/BOX
200x1200 mm	эмм	5	1.20	12.91

#### **FEATURES**





+91 96384 72778 +91 75750 03333

swordintrl@gmail.com

109, Oreva Arcade, At.shiv Ajanta Hotel, Morbi, Gujarat (363642).